


AREVENCA
COMPLEJO AREVENCA
ARMADORES Y ASTILLEROS VENEZOLANOS C. A
EMPRESA VENEZOLANA DE INDUSTRIAL NAVALES
PUERTO SAN FRANCISCO JAVIER
TERMINAL DE AGUAS PROFUNDAS DE ORIENTE
ZONA DE ACTIVIDADES LOGÍSTICAS DE ORIENTE



LPG. Liquid Petroleum Gas Characteristics

Proofs	Unity	Specifications	Statistics			Método ASTM
			Average	Mín.	Máx.	
Vapor Pressure at 37,8°C	kPa (psig)	1434 maximum	753	531	911	D-1267 o D-2598
Volatility at 95%	°C	2,2 maximum	-0,7	-8,1	2,0	D-1837
Vaporizations residuals 100 ml	ml	0,5 maximum *	0,0	0,0	0,4	D-2158
Total Sulfur	ppm	200 maximum	-			D-2784
Sulfur of Hydrogen Proof. (H 2S)		negative	-			D-2420
Corruption Copper 1h a 37,8 °C		Standard 1 maximum	1a	1a	1a	D-1838
Density at 15 °C +	Kg/m 3	Value report	543,7	528,0	566,0	D-1657 o D-2598
Free water		No one	-			Sight